

BRIGHTWELL

Datasheet



Ecoshot Sink

Ecoshot is a manual stand-alone chemical dispensing system that does not require a mains water connection, perfect for dispensing into sinks, bottles or buckets.

Adjustable dose between 0.2 oz and 1 oz for use with concentrated chemicals up to 150 centipoises.



Sink Version

Technical specifications

Dimensions (inches) (H x W x L)	Sink - 8.5" x 4.75" x 6"
Weight	1.10 lbs.
Branding (cm) (H x W)	Branding plaque Small: H 1.5 x W 3 Large: H 3 x W 4 Color rings: Grey, as standard
Material	Cover/Backplate: Glass Bead Polypropylene (GBPP) Pusher: ABS Pusher seal: PTFE/Hastelloy Valve seals: PP/Viton/Perfluoroelastomer
Accessories	Hanging bracket Secure chemical cabinets (2ltr/5ltr) Colored rings



Warranty	2 years
-----------------	---------

In the box
EcoShot unit
Dispenser and Supervisor/maintenance key
Ceramic weight
Sinker support assembly
Sink Spout
Instruction manual
Drilling template
Screw pack
Bottle bracket and clips (Bottle version only)
Bucket spout (Bucket version only)

Part numbers	
Part number	Description
DMS11-WK/NT	EcoShot Sink

Shipping info			
Shipping method	Quantity of units	Dimensions L x W x H (inches)	Net packed weight (lbs.)
Unit	1	14.5" x 6.25" x 6"	2 lbs.
Case	4	24.5" x 21.25" x 10.5"	11 lbs.
Pallet	108	47.25" x 39.25" x 43.75"	247 Lbs.
Full Pallet	84	47.25" x 31.5" x 43.75"	201 lbs.



BRIGHTWELL

Brightwell Dispensers Inc.
9858 Britton Street
Lenexa, KS
66219

T: (+1) 913-956-4909
E: sales@brightwell-inc.com

© 2024 Brightwell Dosing Ltd | Registered in England, Number 00661996.

